

Git

Clone a specific tag

```
git clone --depth 1 --branch <tag_name> <repo_url>
```

Specify the private SSH-key to use when executing a Git command:

```
ssh-agent bash -c 'ssh-add /home/git/.ssh/key-filename; git $GIT_COMMAND'
```

Example:

```
ssh-agent bash -c 'ssh-add /home/git/.ssh/key-filename; git push'
```

Source:

<https://stackoverflow.com/questions/4565700/how-to-specify-the-private-ssh-key-to-use-when-executing-shell-command-on-git>

Remove submodule

1. mv a/submodule a/submodule_tmp
2. git submodule deinit -f - a/submodule
3. rm -rf .git/modules/a/submodule
4. git rm -f a/submodule # Note: a/submodule (no trailing slash)

or, if you want to leave it in your working tree and have done step 0

5. git rm --cached a/submodule

3bis mv a/submodule_tmp a/submodule

Source: <https://stackoverflow.com/questions/1260748/how-do-i-remove-a-submodule>

git undo all uncommitted or unsaved changes

```
git checkout .
```

Or:

```
git checkout [some_dir|file.txt]
```

Source: <https://stackoverflow.com/questions/14075581/git-undo-all-uncommitted-or-unsaved-changes>

How to undo local changes to a specific file

```
git checkout -- <file>
```

Source: <https://stackoverflow.com/questions/31281679/how-to-undo-local-changes-to-a-specific-file>

Undo all uncommitted or unsaved changes

Source: <https://stackoverflow.com/questions/14075581/git-undo-all-uncommitted-or-unsaved-changes>

Getting the difference between two repositories

```
git remote add -f b path/to/repo_b.git  
git remote update  
git diff master remotes/b/master  
git remote rm b
```

Source: <https://stackoverflow.com/questions/1968512/getting-the-difference-between-two-repositories>

From:

<https://wiki.xw3.org/> - **wiki.xw3.org**

Permanent link:

<https://wiki.xw3.org/git?rev=1720398620>

Last update: **2024-07-08**

